

TABLE OF CONTENTS

| Sheet Number | Title | Revision Date |
|---------------------------------------|------------------------------------------------|---------------|
| I-1 | INTRODUCTION TO STANDARD DESIGNS | 03/17/08 |
| <u>STREETS</u> | | |
| ST-1 | LOCAL STREETS | 03/17/08 |
| ST-1A | LOCAL STREETS, 2015 GENERAL PLAN | 11/15/04 |
| ST-2 | COLLECTOR AND ARTERIAL STREETS | 04/04/06 |
| ST-2A | EXPRESSWAYS | 01/22/02 |
| ST-2B | MAJOR ARTERIAL AND ARTERIAL | 01/22/02 |
| ST-2C | TRANSITWAY | 01/22/02 |
| ST-2D | COLLECTOR STREET ALTERNATE | 01/22/02 |
| ST-2E | SUMMARY OF STREET STANDARDS | 01/22/02 |
| ST-3 | INTERSECTION BULB FOR MINOR RESIDENTIAL STREET | 01/22/02 |
| ST-4 | STANDARD CUL-DE-SAC | 04/04/06 |
| ST-5 | VALLEY GUTTERS & ALLEYS | 03/17/08 |
| ST-6 | GENERAL REQUIREMENTS | 03/17/08 |
| <u>DRIVEWAY APPROACHES</u> | | |
| D-1 | RESIDENTIAL DRIVEWAY (MODIFIED ROLL CURB) | 04/04/06 |
| D-2 | RESIDENTIAL DRIVEWAY (STANDARD CURB) | 04/04/06 |
| D-3 | RESIDENTIAL DRIVEWAY (STANDARD CURB) | 04/04/06 |
| D-4 | RESIDENTIAL DRIVEWAY (VERTICAL CURB) | 04/04/06 |
| D-5 | ALTERNATE METHOD FOR CURB CLOSURE | 08/05/91 |
| D-6 | ALLEY DRIVEWAY APPROACH | 12/12/94 |
| D-7 | COMMERCIAL/INDUSTRIAL DRIVEWAY | 01/22/02 |
| D-7A | HANDICAPPED ACCESS AT DRIVEWAY | 12/12/94 |
| D-8 | GENERAL REQUIREMENTS – DRIVEWAY APPROACHES | 04/04/06 |
| D-9 | GENERAL SPECIFICATIONS – DRIVEWAYS | 12/12/94 |
| <u>SIDEWALKS, CURBS & GUTTERS</u> | | |
| SCG-1 | SIDEWALK, CURB & GUTTER SECTION | 03/17/08 |
| SCG-1A | DRIVE OVER CURB | 04/04/06 |
| SCG-2 | ADA ACCESS RAMP | 03/17/08 |
| SCG-3 | CROSS GUTTER | 01/22/02 |
| SCG-4 | GENERAL REQUIREMENTS – SIDEWALK, CURB & GUTTER | 03/17/08 |
| SCG-5 | SIDEWALK RETURNS | 03/17/08 |
| SCG-6 | CURB HOUSE NUMBERS | 08/05/91 |
| SCG-7 | U.S POSTAL SERVICE BOX AND MAILBOX CLUSTER | 12/12/94 |
| <u>TRENCHING</u> | | |
| T-1 | TRENCH EXCAVATION & BACKFILL | 03/17/08 |
| T-2 | TRENCHING IN CONCRETE AREAS | 12/12/94 |

| | | |
|-----|-----------------------------------|----------|
| T-3 | TRENCHING & BACKFILL REQUIREMENTS | 12/12/94 |
| T-4 | TRENCHING & BACKFILL REQUIREMENTS | 12/12/94 |
| T-5 | TRENCHING & BACKFILL REQUIREMENTS | 11/15/04 |

SEWER SYSTEM

| | | |
|------|----------------------------------------------------------------------|----------|
| S-1 | SEWER MANHOLE DETAIL | 01/22/02 |
| S-2 | DROP MANHOLE | 04/04/06 |
| S-2A | INSIDE DROP MANHOLE | 04/04/06 |
| S-3 | MANHOLE FRAME & COVER | 04/04/06 |
| S-3A | LARGE SIZE MANHOLE FRAME AND COVER | 03/17/08 |
| S-4 | STANDARD DELETED | 03/17/08 |
| S-5 | TYPICAL GREASE INTERCEPTOR | 03/17/08 |
| S-5A | TYPICAL SAND & OIL INTERCEPTOR | 01/22/02 |
| S-5B | SAMPLING MANHOLE | 01/22/02 |
| S-5C | GENERAL REQUIREMENTS FOR GREASE, SAND & OIL INTERCEPTORS | 01/22/02 |
| S-5D | GENERAL REQUIREMENTS FOR GREASE, SAND & OIL INTERCEPTORS | 01/22/02 |
| S-6 | SWIMMING POOL INDIRECT WASTE SYSTEM | 01/21/80 |
| S-7 | SEWER LATERAL | 03/17/08 |
| S-8 | SANITARY SEWER DATA | 03/17/08 |
| S-9 | SEWER SYSTEM TESTING | 04/04/06 |
| S-9A | SEWER MANHOLE TESTING | 01/22/02 |
| S-10 | LOW PRESSURE AIR TEST TABLE | 05/25/79 |
| S-11 | PVC SANITARY SEWER | 03/17/08 |
| S-12 | STANDARD DELETED | 03/17/08 |
| S-13 | STANDARD SUPERCEDED | 03/17/08 |
| S-14 | SEWER LATERAL ABANDONMENT | 06/19/84 |
| S-15 | NEW MANHOLE / EXISTING SEWER | 01/22/02 |
| S-16 | INDUSTRIAL WASTE MONITORING STATION – ACCESS BOX TYPE | 06/19/84 |
| S-17 | INDUSTRIAL WASTE MONITORING STATION – MANHOLE TYPE | 07/07/89 |
| S-18 | PORTABLE GENERATOR CONNECTIONS FOR SEWER & STORM DRAIN PUMP STATIONS | 03/17/08 |

STORM DRAIN SYSTEM

| | | |
|-------|------------------------------------|----------|
| SD-1 | STANDARD DELETED | 04/04/06 |
| SD-2 | TYPE “B” CATCH BASIN | 03/17/08 |
| SD-3 | TYPE “C” CATCH BASIN | 03/17/08 |
| SD-3A | CATCH BASIN CURB TRANSITION DETAIL | 03/17/08 |
| SD-4 | STORM DRAIN JUNCTION STRUCTURE | 06/10/87 |
| SD-5 | CURB DRAIN | 01/22/02 |
| SD-6 | ALTERNATE CURB DRAIN | 03/17/08 |
| SD-7 | STANDARD TRANSITION STRUCTURE | 07/07/89 |
| SD-8 | PCC COLLAR PIPE CONNECTIONS | 06/10/87 |
| SD-9 | STORM DRAIN PIPE REQUIREMENTS | 03/17/08 |
| SD-10 | STORM DRAIN MANHOLE DETAILS | 07/07/89 |
| SD-11 | ALTERNATE STORM DRAIN MANHOLE | 07/07/89 |
| SD-12 | FLOOD DAMAGE PREVENTION | 05/01/80 |
| SD-13 | STORM DRAIN DESIGN | 08/05/91 |
| SD-14 | STORM DRAIN DESIGN | 08/05/91 |

| | | |
|--------|-----------------------------------------------|----------|
| SD-15 | STORM DRAIN DESIGN | 08/05/91 |
| SD-16 | STORM DRAIN DESIGN | 08/05/91 |
| SD-17 | STORM DRAIN DESIGN | 08/05/91 |
| SD-18 | STORM DRAIN DESIGN | 08/05/91 |
| SD-19 | STORM DRAIN DESIGN | 08/05/91 |
| SD-20 | STORM DRAIN DESIGN | 08/05/91 |
| SD-21 | STORM DRAIN DESIGN | 08/05/91 |
| SD-22 | STORM DRAIN DESIGN REFERENCE DATA | 08/05/91 |
| SD-23 | STORM DRAIN DESIGN REFERENCE DATA | 11/15/04 |
| SD-24 | STORM DRAIN DESIGN REFERENCE DATA | 08/05/91 |
| SD-25 | STORM DRAIN DESIGN REFERENCE DATA | 08/05/91 |
| SD-26 | STORM DRAIN DESIGN REFERENCE DATA | 03/17/08 |
| SD-27 | STORM DRAIN DESIGN REFERENCE DATA | 08/05/91 |
| SD-28 | STORM DRAIN DESIGN SHEET - A | 08/05/91 |
| SD-29 | STORM DRAIN DESIGN SHEET - B | 08/05/91 |
| SD-30 | FENCED BASIN DETAIL | 03/17/08 |
| SD-31 | STANDARD DELETED | 11/15/04 |
| SD-32 | STORM DRAIN DESIGN | 03/17/08 |
| SD-33 | STORM DRAIN PUMP STATION –PANEL DETAIL | 03/17/08 |
| SD-33A | STORM DRAIN PUMP STATION–DETAILS/ EQUIP. LIST | 03/17/08 |
| SD-34 | HIGH WATER CUT OFF | 03/17/08 |

WATER SYSTEM

| | | |
|-------|-------------------------------------------------------------------|----------|
| W-1 | PROTECTION OF WATER LINES FROM SANITARY SEWER | 03/17/08 |
| W-2 | FIRE HYDRANT & VALVE ASSEMBLY | 03/17/08 |
| W-3 | 1" WATER SERVICE CONNECTIONS | 03/17/08 |
| W-4 | 1-1/2" & 2" WATER SERVICE CONNECTIONS | 03/17/08 |
| W-5 | BLOWOFF VALVE | 03/17/08 |
| W-6 | CAST IRON FITTINGS WITH CONCRETE THRUST BLOCKS | 05/25/79 |
| W-7 | THRUST BLOCKS | 05/25/79 |
| W-8 | DOUBLE CHECK VALVE BACKFLOW PREVENTER | 01/22/02 |
| W-9 | REDUCED PRESSURE PRINCIPLE BACKFLOW PREVENTER | 01/22/02 |
| W-9A | REDUCED PRESSURE PRINCIPLE BACKFLOW PREVENTER WITH COMPOUND METER | 11/15/04 |
| W-10 | WELL DESTRUCTION | 08/05/91 |
| W-10A | MONITORING WELL | 01/22/02 |
| W-11 | AIR RELEASE VALVE | 04/04/06 |
| W-12 | STANDARD DELETED | 03/17/08 |
| W-13 | STANDARD DELETED | |
| W-14 | COMPOUND METER | 03/17/08 |
| W-15 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 03/17/08 |
| W-16 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 04/04/06 |
| W-16A | WATER SYSTEM – APPROVED ALTERNATES | 04/04/06 |
| W-16B | STANDARD DELETED | 04/04/06 |
| W-16C | PIPELINE LOCATION MARKER | 12/12/94 |
| W-16D | TRACER WIRE SPLICE | 05/20/02 |
| W-17 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 06/19/84 |
| W-18 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 04/04/06 |
| W-19 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 01/22/02 |
| W-20 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 11/15/04 |

| | | |
|------|------------------------------------------------|----------|
| W-21 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 11/15/04 |
| W-22 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 04/04/06 |
| W-23 | WATER SYSTEM – CONSTRUCTION SPECIFICATIONS | 03/17/08 |
| W-24 | BACKFLOW/CROSS CONNECTION CONTROL REQUIREMENTS | 01/22/02 |
| W-25 | BACKFLOW/CROSS CONNECTION CONTROL REQUIREMENTS | 01/22/02 |
| W-26 | BACKFLOW/CROSS CONNECTION CONTROL REQUIREMENTS | 01/22/02 |
| W-27 | BACKFLOW/CROSS CONNECTION CONTROL REQUIREMENTS | 11/15/04 |
| W-28 | AIR-GAP SEPARATION | 03/17/08 |
| W-29 | FLUORIDATION TREATMENT FACILITIES | 12/16/81 |
| W-30 | FLUORIDATION TREATMENT FACILITIES | 06/19/84 |
| W-31 | APPLICATION AND PERMIT TO USE FIRE HYDRANT | 04/04/06 |
| W-32 | WATER SERVICE METER BOXES | 04/04/06 |
| W-33 | PIT MOUNTING DETAIL | 04/04/06 |
| W-34 | WATER MAIN STERILIZATION | 03/17/08 |
| W-35 | WATER USE OUT OF A FIRE HYDRANT | 11/15/04 |
| W-36 | FIRE HYDRANT AND WATER MAIN STERILIZATION | 01/22/02 |
| W-37 | BACKFLOW PREVENTER ENCLOSURE | 11/15/04 |
| W-38 | WATER SERVICE FOR SMALL LOTS OR DEAD ENDS | 03/17/08 |

STREETLIGHTS

| | | |
|------|---------------------------------------------|----------|
| SL-1 | STREET LIGHTING STANDARD | 04/04/06 |
| SL-2 | STREET LIGHT STANDARDS | 03/17/08 |
| SL-3 | STREET LIGHT STANDARDS | 04/04/06 |
| SL-4 | UNDERGROUND ELECTRICAL FEED POINT-UNMETERED | 12/12/94 |
| SL-5 | CIRCUIT BREAKER | 02/29/80 |
| SL-6 | STREET LIGHTING STANDARD | 04/04/06 |

BIKEWAY

| | | |
|-------|----------------------------------|----------|
| BW-1 | BIKEWAY DESIGNATION & DETAILS | 04/21/80 |
| BW-1A | CONCRETE BIKEWAY | 03/17/08 |
| BW-2 | CLASS I BIKEWAY REQUIREMENTS | 05/02/80 |
| BW-3 | OFFSET BIKEWAY ACCESS | 06/02/80 |
| BW-4 | TYPICAL WALL – CROSS SECTION | 06/02/80 |
| BW-5 | BIKEWAY ACCESS APPROACH | 12/12/94 |
| BW-6 | BIKEWAY ACCESS APPROACH | 12/12/94 |
| BW-7 | BIKEWAY BARRIER | 11/19/81 |
| BW-8 | TYPICAL BIKE LANE CROSS SECTIONS | 06/04/82 |

REFUSE

| | | |
|------|-----------------------------------|----------|
| R-1 | STANDARD DELETED | |
| R-2 | FRONT END LOADER SERVICE | 03/17/08 |
| R-2A | FRONT END LOADER – ANGLED SERVICE | 03/17/08 |
| R-3 | ROLL OFF SERVICE | 03/17/08 |
| R-4 | REFUSE ENCLOSURE DETAIL | 04/04/06 |
| R-4A | REFUSE ENCLOSURE GATE | 04/04/06 |
| R-5 | REFUSE – GENERAL REQUIREMENTS | 04/04/06 |

| | | |
|-----|----------------------|----------|
| R-6 | ONE-YARD REAR LOADER | 11/15/04 |
|-----|----------------------|----------|

LANDSCAPING

| | | |
|------|---------------------------------|----------|
| L-1 | TREE PLANTING & STAKING | 03/17/08 |
| L-1A | TYPICAL STREET TREE PLACEMENT | 03/17/08 |
| L-2 | TREE PLANTER BOX IN SIDEWALK | 01/14/80 |
| L-3 | PARKING LOT LANDSCAPE STANDARDS | 01/22/02 |
| L-4 | PARKING LOT LANDSCAPE STANDARDS | 01/22/02 |
| L-5 | PARKING LOT LANDSCAPE STANDARDS | 01/22/02 |

GRADING

| | | |
|-----|---------------------|----------|
| G-1 | PARKING LOT DETAILS | 12/12/94 |
|-----|---------------------|----------|

TRAFFIC CONTROL

| | | |
|-------|-------------------------------------------|----------|
| TC-1 | STREET NAME SIGN (LOCAL STREET) | 03/17/08 |
| TC-2 | STANDARD DELETED | 04/04/06 |
| TC-2A | ILLUMINATED STREET NAME SIGN | 04/04/06 |
| TC-3 | STREET NAME SIGN POSTS LOCATION | 01/22/02 |
| TC-4 | STOP SIGN | 03/17/08 |
| TC-4A | FIRE LANE SIGN | 03/17/08 |
| TC-5 | TRAFFIC ISLANDS | 10/08/80 |
| TC-6 | STANDARD BARRICADE | 04/04/06 |
| TC-7 | MINIMUM PARKING REQUIREMENTS – OFF STREET | 12/12/94 |
| TC-8 | PARKING STALL & CURB LOCATION | 12/12/94 |
| TC-8A | HANDICAP STALL & CURB LOCATION | 12/12/94 |
| TC-9 | PARALLEL & 90 DEGREE PARKING | 06/04/82 |
| TC-10 | ANGLE PARKING LAYOUT | 06/04/82 |
| TC-11 | PAVEMENT MARKINGS, ARROWS & SYMBOLS | 08/05/91 |
| TC-12 | BUS TURNOUT DETAIL | 08/05/91 |
| TC-13 | REGULATORY SIGNS – DOWNTOWN | 04/04/06 |
| TC-14 | PAVEMENT MARKINGS AND WORDS | 04/04/06 |
| TC-15 | PROJECT IDENTIFICATION SIGN | 03/17/08 |

FENCES

| | | |
|------|-----------------------------------------|----------|
| F-1 | ROUND AND SQUARE POST DETAILS | 04/04/06 |
| F-2 | CHAINLINK FENCE SPECIFICATIONS | 04/04/06 |
| F-3 | CHAINLINK FENCE SPECIFICATIONS | 04/04/06 |
| F-4 | 6-FOOT ORNAMENTAL SCREEN FENCE | 04/04/06 |
| F-5 | DECORATIVE WALL | 04/04/06 |
| F-6 | RETAINING WALLS | 11/15/04 |
| F-7 | TYPICAL HIGH FENCE WITH BARBED WIRE | 04/04/06 |
| F-8 | TYPICAL HIGH FENCE WITHOUT BARBED WIRE | 04/04/06 |
| F-9 | TYPICAL SWING GATES WITH BARBED WIRE | 04/04/06 |
| F-10 | TYPICAL SWING GATES WITHOUT BARBED WIRE | 04/04/06 |

MISCELLANEOUS

| | | |
|-----|-------------------------|----------|
| M-1 | STANDARD DELETED | |
| M-2 | STANDARD LEGEND SYMBOLS | 12/12/94 |
| M-3 | STANDARD LEGEND SYMBOLS | 12/12/94 |

| | | |
|-----|-------------------------|----------|
| M-4 | STANDARD LEGEND SYMBOLS | 12/12/94 |
| M-5 | SURVEY MONUMENTATION | 03/17/08 |

TRAFFIC SIGNALS

| | | |
|------|-------------------------------------------|----------|
| TS-1 | UNDERGROUND ELECTRICAL FEED POINT-METERED | 04/04/06 |
| TS-2 | WIRING DIAGRAM AND CONSTRUCTION NOTES | 04/04/06 |

MATERIALS

| | | |
|------|--------------------|----------|
| MT-1 | APPROVED MATERIALS | 03/17/08 |
| MT-2 | APPROVED MATERIALS | 04/04/06 |